

Unser Lagerprogramm: STAB- und FORMSTAHL S 235 JR

Breitflanschträger	Formstahl	
HEB 100 - 12 mtr	IPE 80 - 6 mtr	UNP 80 - 6/12 mtr
HEB 120 - 12 mtr	IPE 100 - 6/12 mtr	UNP 100 - 6/12 mtr
HEB 140 - 12 mtr	IPE 120 - 12 mtr	UNP 120 - 6/12 mtr
HEB 160 - 12 mtr	IPE 140 - 12 mtr	UNP 140 - 6/12 mtr
HEB 180 - 12 mtr	IPE 160 - 12 mtr	UNP 160 - 12 mtr
HEB 200 - 12 mtr	IPE 180 - 12 mtr	UNP 180 - 12 mtr
HEB 220 - 14 mtr	IPE 200 - 12 mtr	UNP 200 - 12 mtr
HEB 240 - 12 mtr		UNP 220 - 12 mtr
		UNP 240 - 12 mtr
HEA 100 - 12 mtr		
HEA 120 - 12 mtr		
HEA 140 - 12 mtr		
HEA 160 - 12 mtr		
HEA 180 - 12 mtr.		
HEA 200 - 12 mtr.		

Rundstahl	Vierkantstahl	T-Stahl	U-Stahl
6 mm	6 mm	20 x 20 x 3	30 x 15 x 4
8 mm	8 mm	25 x 25 x 3,5	30 x 33 x 5
10 mm	10 mm	30 x 30 x 4	40 x 20 x 5
12 mm	12 mm	35 x 35 x 4,5	40 x 35 x 5
14 mm	14 mm	40 x 40 x 5	50 x 25 x 5
15 mm	15 mm	45 x 45 x 5,5	50 x 38 x 5
16 mm	16 mm	50 x 50 x 6	60 x 30 x 6
18 mm	18 mm	60 x 60 x 7	65 x 42 x 6
20 mm	20 mm	70 x 70 x 8	
22 mm	25 mm	80 x 80 x 9	
24 mm	30 mm		
25 mm	35 mm	40 x 20 x 4,5	
30 mm	40 mm	60 x 30 x 5,5	
35 mm		70 x 35 x 6	
40 mm			

Unser Lagerprogramm: STAB- und FORMSTAHL S 235 JR

Bandstahl, Flachstahl, Breitflachstahl

	2	3	4	5	6	8	10	12	15	20	25	30	40
10		X	X										
12		X		X	X								
15													
16		X	X	X	X	X							
20		X	X	X	X	X	X	X					
25		X	X	X	X	X	X	X	X				
30		X	X	X	X	X	X	X	X				
35			X	X	X	X	X						
40		X	X	X	X	X	X	X	X	X			
45				X	X	X	X						
50		X	X	X	X	X	X	X	X	X		X	
60		X	X	X	X	X	X	X	X	X		X	
65													
70		X		X	X	X	X	X	X				
80		X	X	X	X	X	X	X	X	X			
90						X	X						
100		X	X	X	X	X	X	X	X	X			
120				X	X	X	X	X	X	X			
130						X	X						
140						X	X						
150						X	X	X	X	X			
160							X		X				
180						X	X		X	X			
200						X	X	X	X	X			
250						X	X	X	X	X			
300						X	X						

X Vorratsgröße Bandstahl, Flachstahl, Breitflachstahl

Unser Lagerprogramm: STAB- und FORMSTAHL S 235 JR

Winkelstahl, rundkantig

gleichschenkelig

20 x 3	50 x 5
20 x 4	50 x 6
25 x 3	60 x 6
25 x 4	60 x 8
30 x 3	70 x 7
30 x 4	80 x 8
30 x 5	100 x 10
35 x 4	120 x 12
35 x 5	150 x 12
40 x 4	
40 x 5	
40 x 6	
45 x 5	

ungleichschenkelig

30 x 20 x 3
40 x 20 x 3
50 x 30 x 5
60 x 40 x 5
80 x 40 x 6
100 x 50 x 6
100 x 50 x 8
100 x 65 x 7
100 x 75 x 9
120 x 80 x 8
150 x 100 x 10

Stabstahl, verzinkt

<u>Rundstahl</u>	<u>T-Stahl</u>	<u>U-Stahl</u>	<u>Winkelstahl</u>	<u>Flachstahl</u>
8 mm	35 x 4,5	50 x 38 x 5	20 x 3	20 x 5
10 mm	40 x 5		25 x 3	30 x 5
12 mm			30 x 3	40 x 6
			35 x 4	40 x 8
			40 x 4	50 x 5
			50 x 5	
			60 x 6	

Unser Lagerprogramm: BLECHE

Feinblech DC01 kaltgewalzt, EN10131

	1000 x 2000	1250 x 2500	1500 x 3000
0,63 mm	X		
0,75 mm	X		
0,88 mm	X		
1,00 mm	X	X	X
1,50 mm	X	X	X
2,00 mm	X	X	X
2,99 mm	X	X	X

Feinblech, verzinkt DX51D+Z275

	1000 x 2000	1250 x 2500	1500 x 3000
X			
X			
X			
X	X		
X	X	X	
X	X	X	X
X	X	X	X

Grobblech warmgewalzt S235JR, EN10051

	1000 x 2000	1250 x 2500	1500 x 3000
3,0 mm	X	X	
4,0 mm	X	X	
5,0 mm	X	X	
6,0 mm	X	X	
8,0 mm	X		
10,0 mm	X		
12,0 mm	X		
15,0 mm	X		
20,0 mm	X		
25,0 mm	X		
30,0 mm	X		
35,0 mm			
40,0 mm	X		
50,0 mm			

Tränenblech S235JR, DIN 59220

	1000 x 2000	1250 x 2500	1500 x 3000
X	X		
X	X		
X	X		
X	X		
X			

Grobbleche, DD11 / S235 gebeizt + gefettet, EN10051

	1000 x 2000	1250 x 2500	1500 x 3000
5,0 mm			X
8,0 mm			X
10,0 mm			X
12,0 mm			X
15,0 mm			X

X

 =Vorratsgröße

Unser Lagerprogramm: ROHRE

Gewinderohr EN 10255 schwarz und verzinkt		Geländerrohr geschw. DIN 10219	
3/8"	17,2 x 2,35 mm	1/2"	21,25 x 1,75 mm
1/2"	21,3 x 2,65 mm	3/4"	26,75 x 1,75 mm
3/4"	26,9 x 2,65 mm	1"	33,7 x 2,0 mm
1"	33,7 x 3,25 mm	1 1/4"	42,25 x 2,0 mm
1 1/4"	42,4 x 3,25 mm	1 1/2"	48,3 x 2,0 mm
1 1/2"	48,3 x 3,25 mm	2"	60,3 x 2,0 mm
2"	60,3 x 3,65 mm		
2 1/2"	76,1 x 3,65 mm		

Konstruktionsrohr geschw. EN10219	geschw. Stahlrohre EN10217-1 / EN10219	
26,9 x 2,0 mm	38,0 x 2,6 mm	88,9 x 6,3 mm
33,7 x 2,5 mm	51,0 x 2,6 mm	101,6 x 3,6 mm
42,4 x 2,5 mm	57,0 x 2,9 mm	101,6 x 6,3 mm
48,3 x 2,5 mm	70,0 x 2,9 mm	108,0 x 3,6 mm
	76,1 x 2,9 mm	114,3 x 3,6 mm
	76,1 x 6,3 mm	133,0 x 4,0 mm
	82,5 x 3,2 mm	159,0 x 4,5 mm
	88,9 x 3,2 mm	

schw. Vierkantrohre nach DIN 2395		schw. Rechteckrohre nach DIN 2395	
15 x 15 x 1,5	50 x 50 x 3,0	20 x 15 x 1,5	60 x 30 x 2,0
20 x 20 x 2,0	60 x 60 x 2,0	25 x 15 x 1,5	60 x 30 x 3,0
25 x 25 x 2,0	60 x 60 x 2,0	30 x 15 x 1,5	60 x 40 x 2,0
30 x 30 x 2,0	60 x 60 x 3,0	30 x 20 x 2,0	60 x 40 x 3,0
30 x 30 x 3,0	70 x 70 x 3,0	40 x 20 x 2,0	70 x 40 x 4,0
35 x 35 x 2,0	70 x 70 x 4,0	40 x 30 x 2,0	80 x 40 x 3,0
40 x 40 x 2,0	80 x 80 x 3,0	40 x 30 x 3,0	80 x 50 x 4,0
40 x 40 x 3,0	80 x 80 x 4,0	50 x 25 x 2,0	100 x 40 x 3,0
40 x 40 x 4,0	80 x 80 x 5,0	50 x 30 x 2,0	100 x 40 x 4,0
45 x 45 x 2,0	90 x 90 x 5,0	50 x 30 x 3,0	100 x 50 x 4,0
45 x 45 x 4,0	100 x 100 x 4	50 x 40 x 2,0	100 x 50 x 5,0
50 x 50 x 2,0	100 x 100 x 5		100 x 60 x 4,0

fett gedruckte Abmessungen sind in schwarz + verzinkt am Lager vorrätig

Unser Lagerprogramm: BLANKSTAHL ST37K

Flachstahl

	3	4	5	6	8	10	12	15	20	25	30	40
15												
20	X	X	X	X	X	X	X	X				
25	X	X	X	X	X	X		X	X			
30	X	X	X	X	X	X	X	X	X			
35												
40	X	X	X	X	X	X	X	X	X			
50	X	X	X	X	X	X	X	X	X			
70						X						
60			X	X	X	X	X	X	X			
80			X	X	X	X	X	X	X			
100						X	X	X	X			

Rundstahl

3 mm
 4 mm
 5 mm
 6 mm
 8 mm
 10 mm
 12 mm
 14 mm
 15 mm
 16 mm
 18 mm
 20 mm

22 mm
 25 mm
 28 mm
 30 mm
 35 mm
 40 mm
 45 mm
 50 mm
 60 mm
 70 mm
 80 mm
 100 mm

Vierkantstahl

6 mm
 8 mm
 10 mm
 12 mm
 14 mm
 15 mm
 16 mm
 18 mm
 20 mm
 25 mm
 30 mm
 35 mm

Unser Lagerprogramm: Silberstahl 1.2210 (115CrV5)

Rundmaterial

2 mm	12 mm
3 mm	13 mm
4 mm	14 mm
5 mm	15 mm
6 mm	16 mm
7 mm	18 mm
8 mm	20 mm
9 mm	25 mm
10mm	30 mm

Unser Lagerprogramm: Automatenstahl 11 Smn 30 K

Rundmaterial

6 mm
 8 mm
 10 mm
 12 mm
 14 mm
 15 mm
 16 mm
 18 mm
 20 mm
 25 mm
 30 mm
 35 mm
 40 mm
 50 mm
 60 mm
 80 mm

Sechskantmaterial

SW 10 mm
 SW 11 mm
 SW 12 mm
 SW 13 mm
 SW 17 mm
 SW 19 mm
 SW 22 mm

Andere Abmessungen sind kurzfristig lieferbar!

Unser Lagerprogramm: Edelstahl 1.4301

Flachstahl							Winkelstahl	
	3	4	5	6	8	10	20 x 3	40 x 4
20	X	X	X	X			25 x 3	50 x 5
25	X	X	X				30 x 3	60 x 6
30	X	X	X / K240	X	X / K240	X		
35	X							
40	X	X	X	X	X / K240	X		
50			X	X	X / K240			
80					K240	X		
100					K240			

Rundstahl 1.4301 blank			Rundstahl K240		Rundstahl 1.4305 blank	
3 mm	12 mm	25 mm	8 mm	10 mm	35 mm	
4 mm	14 mm	30 mm	10 mm	12 mm	40 mm	
5 mm	15 mm		12 mm	15 mm	50 mm	
6 mm	16 mm		14 mm	20 mm	60mm	
8 mm	18 mm			25 mm		
10 mm	20 mm			30 mm		

Rundrohr K240		Vierkantrohr und Rechteckrohr K240	
16 x 1,5	42,4 x 2,0	20 x 20 x 2	30 x 20 x 2
20 x 1,5	42,4 x 2,5	25 x 25 x 2	40 x 20 x 2
26,9 x 2,0	48,3 x 2,0	30 x 30 x 2	60 x 40 x 2
30,0 x 2,0	60,3 x 2,0	40 x 40 x 2	
33,7 x 2,0			
38,0 x 2,0			

Bleche

	1000 x 2000	1250 x 2500	1500 x 3000
0,6	X		
0,8	X		
1	X / K240	X / K240	
1,5	X / K240	X / K240	X / K240
2	X / K240	X / K240	X / K240
3	X	X	X
4	X		

Unser Lagerprogramm: ALUMINIUM-BLECHE

Bleche Al 99,5 hh			Bleche AlMg3 wh
0,8 / 1000 / 2000			4,0 / 1000 / 2000
1,0 / 1000 / 2000	1,0 / 1250 / 2500	1,0 / 1500 / 3000	5,0 / 1000 / 2000
1,5 / 1000 / 2000	1,5 / 1250 / 2500	1,5 / 1500 / 3000	6,0 / 1000 / 2000
2,0 / 1000 / 2000	2,0 / 1250 / 2500	2,0 / 1500 / 3000	8,0 / 1000 / 2000
3,0 / 1000 / 2000	3,0 / 1250 / 2500	3,0 / 1500 / 3000	10,0 / 1000 / 2000
			12,0 / 1000 / 2000
			15,0 / 1000 / 2000
			20,0 / 1000 / 2000
			25,0 / 1000 / 2000
			30,0 / 1000 / 2000

Aluminium-Warzenbleche Duett

1,5 / 2,0 / 1000 / 2000	1,5 / 2,0 / 1250 / 2500	
2,5 / 4,0 / 1000 / 2000	2,5 / 4,0 / 1250 / 2500	2,5 / 4,0 / 1500 / 3000
3,5 / 5,0 / 1000 / 2000	3,5 / 5,0 / 1250 / 2500	3,5 / 5,0 / 1500 / 3000
5,0 / 6,5 / 1000 / 2000	5,0 / 6,5 / 1250 / 2500	5,0 / 6,5 / 1500 / 3000

Aluminium-Bleche eloxiert E6 / EV1

1,0 / 1000 / 2000 mit Schutzfolie	
1,5 / 1000 / 2000 mit Schutzfolie	
2,0 / 1000 / 2000 mit Schutzfolie	2,0 / 1250 / 2500 mit Schutzfolie
3,0 / 1000 / 2000 mit Schutzfolie	

Unser Lagerprogramm: Aluminium (AlCuMgPb)

Flachmaterial	Rundmaterial	Vierkantmaterial
30 x 10 mm	10 mm	10 mm
30 x 15 mm	15 mm	15 mm
30 x 20 mm	20 mm	20 mm
40 x 10 mm	25 mm	25 mm
40 x 15 mm	30 mm	30 mm
40 x 20 mm	35 mm	40 mm
40 x 25 mm	40 mm	50 mm
40 x 30 mm	50 mm	60 mm
50 x 10 mm	60 mm	
50 x 12 mm	70 mm	
50 x 20 mm	80 mm	
50 x 25 mm	100 mm	
50 x 30 mm	120 mm	
60 x 20 mm		
60 x 30 mm		
80 x 12 mm		
80 x 15 mm		
80 x 20 mm		
80 x 30 mm		
100 x 10 mm		
120 x 10 mm		

Unser Lagerprogramm: ALUMINIUM AlMgSi 0,5

Flachprofile												Winkelprofile		
	2	3	4	5	6	8	10	12	15	20	25	10 x 2	50 x 2	20 x 10 x 2
10	X											15 x 2	50 x 3	20 x 15 x 2
15				X								15 x 3	50 x 4	25 x 15 x 2
20		X	X	X	X	X	X					20 x 2	50 x 5	25 x 20 x 2
25												20 x 3	60 x 2	30 x 15 x 2
30		X	X	X	X	X	X					25 x 2	60 x 3	30 x 20 x 2
40	x	X	X	X	X	X	X	X				25 x 3	60 x 4	40 x 20 x 2
50		X	X	X	X	X	X					30 x 2	60 x 6	40 x 20 x 3
60		X	X	X	X	X	X					30 x 3	80 x 5	50 x 25 x 4
80				X	x	X	X					35 x 3	80 x 8	60 x 40 x 3
100						X	X					40 x 2	100 x 10	80 x 40 x 4
120												40 x 3		80 x 60 x 6
												40 x 4		100 x 40 x 4

T-Profile	U-Profile	Rundrohr
40 x 3	10 x 10 x 10 x 2	20 x 30 x 20 x 3
40 x 4	15 x 15 x 15 x 2	30 x 20 x 30 x 2
50 x 4	20 x 20 x 20 x 2	35 x 35 x 35 x 3
60 x 4	20 x 20 x 20 x 3	40 x 20 x 40 x 2
	25 x 25 x 25 x 2	40 x 40 x 40 x 2
	30 x 30 x 30 x 2	40 x 40 x 40 x 4
	30 x 30 x 30 x 3	50 x 50 x 50 x 4
		20 x 2
		25 x 2
		30 x 2
		40 x 2
		50 x 3
		60 x 2
		60 x 3

Vierkantrohr	Rechteckrohr
15 x 15 x 2	40 x 40 x 4
20 x 20 x 2	50 x 50 x 2
25 x 25 x 2	50 x 50 x 3
30 x 30 x 2	50 x 50 x 4
30 x 30 x 3	60 x 60 x 2
40 x 40 x 2	60 x 60 x 4
40 x 40 x 3	80 x 80 x 3
	80 x 80 x 4
	100 x 100 x 4
	30 x 20 x 2
	40 x 20 x 2
	50 x 25 x 2
	60 x 30 x 2
	60 x 30 x 3
	60 x 40 x 2
	60 x 40 x 3
	60 x 40 x 4
	80 x 40 x 3
	100 x 20 x 2
	100 x 40 x 4